

ഹ്ര CONTE



TECHNICAL ADVANTAGES (4)

(6) TRIB

COLORS / ACCESSORIES / LOADING ZONE

MYAQUA 8

THE LINK (10)

(12)TESTIMONIALS

(18)POOL

 $(\mathbf{30})$ CASCADE

(31) SIERRA

(32)CLIMBING / SLIDING

(34) AGILITY

 $(\mathbf{36})$ **BALANCE / LEISURE**

(38) RUNNING / WALKING

- (40)**ESSENTIALS / ACCESSORIES**
- (42)**PRODUCT GUIDE OVERVIEW**

MEET OUR **TEAM MEMBERS**



UNION

Union is an independently

owned company that is

passionate about all things

watersports. Our team has been building and using products

on the water for decades. This

experience and passion has allowed us to build innovative

and exciting products for

customers worldwide while

maintaining the highest safety

standards in the world.



BRIAN GARDNER

Brian Gardner has been in various roles Water Sports business for over 40 years. He is the current President and owner of one of the biggest brands in the Water ski, Wakeboard and Surf industry. He founded Union, along with the other members of the team, in 2018 and is our current President.



PAUL O'BRIEN

Has spent his entire life in or on the water which has led him to direct industry leading watersports brands. His marketing acumen has been instrumental in growing brands from infancy to powerhouses.



His passion lies in water recreation. As a recipient of the Legend award, 2019 inductee to the Wake Board Hall of Fame Patrick and a board member for the Water Sports Industry Association he has been instrumental to the growth of watersports. He has designed and run worldwide watersports events for companies like Redbull, Billabong and Oakly. Patrick is also an owner of two Adventure Parks that incorporate full size aquaparks, wakeboard cable systems and other water recreation activities.







SAM GARDNER

Earned both a Master of Science Aerospace Engineering and a Bachelor of Science Mechanical Engineering - he uses this knowledge and skill set to design, produce and deliver top quality products that are innovative and fun!







POD

Union Europe is managed by POD International from Germany. CEO Richard Ems has more than 30 years experience in the watersport business. Verena Lillitsch, Union Europe Brand Manager, with POD almost 10 years and great knowledge of Union and Aquapark in general.



TECHNICAL ADVANTAGES

TÜV SÜD

Each of our products are certified in Germany by the premier third party certification group - TÜV SÜD. Every aspect of the products are inspected and tested for conformity to EN ISO 25649 to guarantee we meet the highest safety standards in the world for inflatable aquapark features.




LINK TO OUR Certificates

THE LINK

Aquapark safety starts with the connection between features. The Link was designed to be the safest connection possible easing labor and daily maintenance. Each feature is connected with 8 forms of closure that are contained above the waterline. Daily checks are able to be done without diving underneath the features to check for wear and tear on components or loose connections.

DESIGNS

Union takes pride in creating innovative experiences for our guests without compromising our core promise of safety. Each product design is the result of countless hours of product research and testing at aquaparks across the globe. We have patented many of these innovations that bring customers back time and time again.



MATERIAL SPECS

Union uses a 0.9mm/1100gsm commercial grade tarpaulin. This airtight material uses our special formula that includes a built in UV resistance and mildew resistance for a long life in all environments. The formula is tested and approved for use in freshwater, saltwater and chlorinated water so no matter where the product is installed we have you covered. Each material batch is also tested for REACH compliance.

DOUBLE I-BEAM

Our Double I-beam system gives the products resiliency and strength to overcome the stresses of the commercial environment.

316 STAINLESS STEEL

All Union rigging equipment uses 316 Stainless Steel

PRESSURE RELIEF VALVE

Every Union product comes with pressure relief valves installed. These allow air to escape during a hot day and prevent products from over pressure damage.

SEAMS

All of our I-Beam products have a 4-layer hot air welded seam for maximum airtightness and longevity.



AS PARK OWNERS AND OPERATORS, UNION KNOWS THAT OPERATIONS AND **EFFICIENCY ARE CRUCIAL TO RUNNING A SUCCESSFUL AQUAPARK. WE HAVE USED OUR EXPERIENCE IN PARK OPERATIONS TO CREATE CUSTOM FEATURES MAKING** PARK OPERATIONS SMOOTH AND EASY.



Union has partnered with TRiB Aircaps to create a custom aquapark specific air pressure monitoring system. This product is designed to be left in our products extra HR valve and provide accurate air pressure readings throughout the day. Accurate pressure readings are crucial to a successful aquapark and it has never been easier than with UNION x TRIB.



WATERPROOF CASING

OVER-PRESSURE ALARM CUSTOMIZABLE TO 0.1PSI

SOLAR POWERED

HIGH VISIBILITY PRESSURE READOUT



20

Union is the only aquapark company to offer two colorways to each customer. This gives customers flexibility to match their park color





LOADING ZONE

The Loading Zone system integrates low-profile boarding areas into existing features giving plenty of options for guests in the water to get back in the action.

All Union rental items are color coded by size to make checking in and checking out as quick and easy as possible. Our wetsuits are color coded on both the inside and outside so they are easy to organize while drying or while hanging on a rack.



ACCESSORIES



MOORING BUNGEES INCLUDED

Every Union Aquapark feature comes standard with mooring bungees attached to the anchor points.




MyAqua is the ultimate tool for prospective and current aquapark owners. New park owners can design and build their custom park to scale with live updates to stay under budget and hit project targets. Current park owners use MyAqua to plan new features for upcoming seasons or rearrange their current park to host special events or flex with the seasons demands.

MyAqua gives the framework to build out your dream aquapark. We bring in satellite imagery of your park and drop our features in to scale. This allows us to build the perfect layout for every park. MyAqua builds out water depth requirements and anchor diagrams in real time. No matter what park is built the details are covered.



Once your park is finalized MyAqua renders the park out in 3D to give the full scale of your project. The 3D environment is fully navigable to flyover the park and give views from any location.

MyAqua plans out everything you need to get your aquapark up and running. The PDF quote sheet recommends size breakdowns and quantities for all accessories based on our experience running and operating aquaparks.



BUILD YOUR OWN PARK HERE

FROM SATELLITE

 $\langle \Phi \rangle$

3

3



MyAgua.UnionAguaParks.com

TO REAL LIFE



WATCH THE VIDEO HERE

The connection of two aquapark features is essential to creating a safe and fun experience on the water. The Link connection system provides a safe walkway between two features and a high strength attachment. The cover attaches to the products with 4 layers of marine grade hook and loop and 4 316 Stainless steel buckles.

The Link is fully self-contained making installation or deinstallation quick and easy. There is no need to swim underneath the products to make a strong connection - all steps can be done by a single person without any special tools or equipment. This makes expanding a park or changing the layout simple for all park owners.

Open the double sided hook flap on feature 1.





Align the double-sided loop on the cover with the hook on the feature. Make sure the Union logo is visible on the cover.













⁶⁶The layout chosen was based on a mid size park but with a few features normally only seen on bigger Aquaparks, the concept was to offer bigger frills to all ages. You could say it is a true challenge to overcome all the features installed, on the other side it also became a big attraction to this beach. After the first season in operation the feedback has been very positive not only from users but also from us as we appreciate the value our Union Aquaparks has added to our location. 🏓

- Praia da Lagoa 🛛





⁶⁶ The Link is really magic. First you can install it from above the waterline, this makes it super fast to proceed and once finished you are really finished and have no issue with it all season. The material itself is bulletproof. Means even after 4 really strong seasons in water we do have no issues on material, seams or leaking. 🍋

Aaron Ambost (Location Manager) - Twincable Beckum





⁶⁶ The team from Union Europe did a fantastic job at the original installation. Training me on all important matters from day one was a key criteria for running our park successfully. With the first weekend after install our park was a tourist magnet which helps in breakeven on the park but also drives our other businesses and income on location! 🍋

-Jetlake Austria





Tobias Leibetseder (Store Manager / Technical Operations)







RONA

ADVENTURE PARK



H .



66 Working with the Union team has been a firstclass experience. I have used other inflatables and services and know the difference from good to great. Union and the team are great. The inflatables are well designed for safety and maximum fun on the water. The team knows how to set up their clients for success. From first time parks to long time owners, the Union team has the tools and know how to make the Aquapark experience great top to bottom. I would strongly recommend to anyone that is looking to upgrade or start an Aquapark to use Union and their team.

Jeff Trudeau -General Manager Nona Adventure park

-Lake Nona 🗕







66 We shopped around with every company in the aqua park industry and Union is by far the best. From the price to the quality, they are top notch. Patrick helped with every step of the design process and provided hands-on. in-person installation and training. Union's customer service is unmatched. Their color combos are the most appealing, and features are easily the most fun. The product material has withstood intense Coastal Alabama UV rays and storms without any issues. Located in the downtown district of an amusement park, we have very high standards and Union has surpassed our expectations. →→

-T.J. Allen, Gravity Island Watersports

Gravity Island Watersports -







66 Fantastic water equipment: ecofriendly, very safe, easy to set up, maintenance free. Great investment for great fun!

Cristina, Mourão Watersports 🛛 —

66 We have been incredibly happy with our collaboration with POD.

Always quick, friendly and very professional response to our inquiries and questions.


The product is super good quality and we are very satisfied with our park. There is nothing we would do differently.

Initiator and responsibility for Glyngøre Waterpark. Lotte Bodilsen









"Union Aquaparks has been a tremendous partner for us since the day we met. We connected with the Union team at the IAAPA convention in Orlando, and we were actively shopping for a floating obstacle course for our facility in San Diego. We were working with a company that wasn't very supportive and we continued to have issues with their products regarding quality and warranties. The Union team provided piece of mind from our first conversation that they would be there to support our needs along the way, and now we are six months in and couldn't be more satisfied with their support! They helped design a course that works perfectly for our facility and even let us put our company branding on the connection pieces. After our purchase, they flew their team out for an entire week to help us with installation of our new obstacle course and to ensure all safety concerns were addressed and that we were completely satisfied with their product. Their team has been quick to respond to any questions that we've had and helped remedy any of concerns immediately. Their team is solution driven and their products are extremely high quality. We are very satisfied with Union Aguaparks and would highly recommend their floating obstacle courses for any open water or swimming pool environment looking to add a fun and safe fun factor. I've spent countless hours shopping and researching these types of products, do yourself a favor and go with Union, no other company provides the support and customer service like Union has for us."

SPENCER MEINBURG **GENERAL MANAGER AT PLUNGE SAN DIEGO**

LIKE UNION HAS FOR US. 77

UNION ROOLLECTIONS

T

Gald



- + NEPTUNE'S STEPS
- + DRAGONTAIL 20
- + BYPASS
- + THE TEMPLE
- + THE HILL





+ NEPTUNE'S STEPS + THE TEMPLE + CROW'S NEST

E.

- + NINJA JUMP
- + THE HILL

1

313131





-REPERSION



POOL FEATURES

SHALLOW



WAVE RIDER 20 CAPACITY: 8 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 20' x 8' x 1'4 " (610 x 244 x 42 CM) WEIGHT: 92 (42 KG)



TIRE RUN CAPACITY: 3 WATER DEPTH: 3'10" (1,15 M) DIMENSION: 20' x 6' x 2'1" (610 x 183 x 63 CM) WEIGHT: 139 (63 KG)



ICON RUN CAPACITY: 2 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 20' x 6' x 1'4 " (610 x 183 x 42 CM) WEIGHT: 86 (39 KG)



WAVE RIDER 10 CAPACITY: 5 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 10' x 6'8" x 1'4" (305 x 2 03 x 42 CM) WEIGHT: 86 (31 KG)

WAVE RIDER 20 LZ

(610 x 310 x 42 CM) WEIGHT: 202 (92 KG)

CAPACITY: 8

MULLIGAN

CAPACITY: 4

WEIGHT: 95 (43 KG)



WAVE RIDER 10 LZ CAPACITY: 5

WATER DEPTH: 3'6" (1,12 M) DIMENSION: 10' x 8'6" x 1' 4" (305 x 255 x 42 CM) WEIGHT: 103 (47 KG)



NEPTUNE'S STEPS CAPACITY: 1 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 6' x 6' x 1'4 " (183 x 183 x 42 CM) WEIGHT: 51 (23 KG)



CONNECT 4 CAPACITY: 4 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 10' x 10' x 1'4 " (305 x 305 x 42 CM) WEIGHT: 116 (52.2 KG)

TRANSITION



DRAGONTAIL 20 CAPACITY: 2 WATER DEPTH: 4'3" (1,28 M) DIMENSION: 20' X 6' X 2'6 " WEIGHT: 108 (49 KG)



CROW'S NEST CAPACITY: 4 WATER DEPTH: 5' (1,51 M) DIMENSION: 10' x 8' x 4' WEIGHT: 99 (45 KG)



NINJA JUMP CAPACITY: WATER DEPTH: 4' (1,2 M) DIMENSION: 20' x 8' x 2' WEIGHT: 119 (54 KG)



RISKY BUSINESS 20 CAPACITY: 8 WATER DEPTH: 4'3" (1,28 M) DIMENSION: 20' x 6' x 2'8 " WEIGHT: 145 (66 KG)



DIAMOND CAPACITY: 4 WATER DEPTH: 5' (1,50 M) DIMENSION: 20' x 16'6' x 4 ' WEIGHT: 194 (88 KG)



THE TEMPLE CAPACITY: 2 WATER DEPTH: 5' (1,50 M) DIMENSION: 10' x 6' x 4'3 " WEIGHT: 86 (39 KG)



DOG LEG CAPACITY: 3 WATER DEPTH: 4'3" (1,28 M) DIMENSION: 8' x 8' x 2'6 " WEIGHT: 80 (36,5 KG)



MT. BAKER CAPACITY: 6 WATER DEPTH: 6'6" DIMENSION: 28'8" x 10'6" x 7 WEIGHT: 352



APEX 20 CAPACITY: 8 WATER DEPTH: 5'6" DIMENSION: 20' x 10'2" x 5' WEIGHT: 216



EAGLE'S NEST CAPACITY: 5 WATER DEPTH: 5'6" DIMENSION: 10' x 12' x 5 ' WEIGHT: 147 (





DEEP



MT. HOOD CAPACITY: 8 WATER DEPTH: 8 DIMENSION: 30'4" x 10'8" x 10 '

WEIGHT: 416



HILL

CAPACITY: 5 WATER DEPTH: 5'6" DIMENSION: 10' x 6' x 5' WEIGHT: 99





HIGH RISE CAPACITY: 4 WATER DEPTH: 5'6" DIMENSION: 20' x 6' x 5' WEIGHT: 167

BYPASS

CAPACITY: WATER DEPTH: 5'6" DIMENSION: 10' x 8' x 5 '

WEIGHT: 147



HALO CAPACITY: 4 WATER DEPTH: 5'6" DIMENSION: 10' x 8' x 5 ' WEIGHT: 114





SHALLOW POOL FEATURES REQUIRE LESS THAN 1.2M **OF WATER DEPTH**

TRADESCO DAGMANNA

ALLASSE ALLASSE SAA

INTERNATION CONTRACTOR OF THE OWNER OWNE

AND TANADAR

26 UNION





WAVE RIDER 10

CAPACITY: 5 WATER DEPTH: 3'6" (1.12 M) DIMENSION: 10' x 6'8" x 1'4" (305 x 20 3 x 42 CM) WEIGHT: 86 (31 KG)



CAPACITY: 5

WAVE RIDER 20 LZ

CAPACITY: 8 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 20' x 10' x 1'4 " (610 x 310 x 42 CM) WEIGHT: 202 (92 KG)



WATER DEPTH: 3'10" (1,15 M) DIMENSION: 20' x 6' x 2'1" (610 x 183 x 63 CM) WEIGHT: 139 (63 KG)



MULLIGAN CAPACITY: 4

WATER DEPTH: 3'6" (1,12 M) DIMENSION: 10' x 10' x 1'4 " (305 x 305 x 42 CM) WEIGHT: 95 (43 KG)



CONNECT 4 CAPACITY: 4

WATER DEPTH: 3'6" (1,12 M) DIMENSION: 10' x 10' x 1'4 " (305 x 305 x 42 CM) WEIGHT: 116 (52.2 KG)

WAVE RIDER 10 LZ

WATER DEPTH: 3'6" (1,12 M) DIMENSION: 10' x 8'6" x 1'4"

WAVE RIDER 20

CAPACITY: 8 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 20' x 8' x 1'4 " (610 x 244 x 42 CM) WEIGHT: 92 (42 KG)

10000

ICON RUN

CAPACITY: 2 WATER DEPTH: 3'6" (1,12 M) DIMENSION: 20' x 6' x 1'4 " (610 x 183 x 42 CM) WEIGHT: 86 (39 KG)

NEPTUNE'S STEPS

CAPACITY: WATER DEPTH: 3'6" (1,12 M) DIMENSION: 6' x 6' x 1'4 " (183 x 183 x 42 CM) WEIGHT: 51 (23 KG)





TRANSITION POOL FEATURES REQUIRE 1,2-1,5M OF WATER DEPTH

THE TEMPLE CAPACITY: 2

WATER DEPTH: 5' (1,50 M) DIMENSION: 10' x 6' x 4'3 " (305 x 183 x 128 CM) WEIGHT: 86 (39 KG)



CROW'S NEST

CAPACITY: 4 WATER DEPTH: 5' (1,51 M) DIMENSION: 10' x 8' x 4' (305 x 243 x 122 CM) WEIGHT: 99 (45 KG)



NINJA JUMP

CAPACITY: 1 WATER DEPTH: 4' (1.2 M) DIMENSION: 20' x 8' x 2' (610 x 2 43 x 60 CM) WEIGHT: 119 (54 KG)



RISKY BUSINESS 20

CAPACITY: 8 WATER DEPTH: 4'3" (1,28 M) DIMENSION: 20' x 6' x 2'8" (610 x 183 x 82 CM) WEIGHT: 145 (66 KG)

Phip



BYPASS

CAPACITY: 4 WATER DEPTH: 5'6" (1.66 M) DIMENSION: 10' x 8' x 5' (305 x 243 x 152 CM) WEIGHT: 147 (67 KG)



EAGLE'S NEST CAPACITY: 5

WATER DEPTH: 5'6" (1,66 M) DIMENSION: 10' x 12' x 5' (305 x 367 x 152 CM) WEIGHT: 147 (67 KG)

HILL

CAPACITY: 5

WATER DEPTH: 5'6" (1,66 M)

DIMENSION: 10' x 6' x 5'

(305 x 183 x 152 CM)

WEIGHT: 99 (45 KG)

HIGH RISE CAPACITY: 4 WATER DEPTH: 5'6" (1,66 M) DIMENSION: 20' x 6' x 5' (610 x 183 x 152 CM)



MT. HOOD

CAPACITY: 8 WATER DEPTH: 8' (2,42 M) DIMENSION: 30'4" x 10'8" x 10' (925 x 325 x 305 CM) WEIGHT: 416 (189 KG)



WATER DEPTH: 4'3" (1,28 M) DIMENSION: 8' x 8' x 2'6 " (243 x 243 x 76 CM) WEIGHT: 80 (36.5 KG)

DRAGONTAIL 20

WATER DEPTH: 4'3" (1.28 M)

DIMENSION: 20' x 6' x 2'6 "

(610 x 183 x 78 CM)

WEIGHT: 108 (49 KG)

CAPACITY: 2



DIAMOND

CAPACITY: 4 WATER DEPTH: 5' (1,50 M) DIMENSION: 20' x 16'6' x 4 ' (610 x 505 x 120 CM) WEIGHT: 194 (88 KG)

DEEP POOL FEATURES REQUIRE MORE THAN 1.65M OF WATER DEPTH

HALO

CAPACITY: 4 WATER DEPTH: 5'6" (1,66 M) DIMENSION: 10' x 8' x 5' (305 x 243 x 152 CM) WEIGHT: 114 (52 KG)

APEX 20 CAPACITY: 8

WATER DEPTH: 5'6" (1,66 M) DIMENSION: 20' x 10'2" x 5 ' (610 x 310 x 152 CM) WEIGHT: 216 (98 KG)

MT. BAKER

CAPACITY: 6 WATER DEPTH: 6'6" (2,42 M) DIMENSION: 28'8" x 10'6" x 7 ' (875 x 320 x 212 CM) WEIGHT: 352 (160 KG)



WEIGHT: 167 (76 KG)

CASCADE COLLECTION

CASCADE LARGE CAPACITY: 177 ANCHORS: 70 WATER DEPTH: **9'6**"(2,9M)

OUR CASCADE AND SIERRA COLLECTIONS GIVE OPTIONS FOR ALL POTENTIAL OPEN WATER PARKS. REGARDLESS OF CAPACITY, BUDGET OR WATER DEPTH WE HAVE PREMADE PARKS THAT ARE DESIGNED TO OPTIMIZE FLOW AND USER EXPERIENCE. SELECT A PARK AS IS OR USE THE COLLECTION AS A STARTING POINT FOR YOUR PERSONAL MYAQUA DESIGN.

0

CASCADE SMALL

WATER DEPTH: 9'3"(2,8M)

CAPACITY: 66

ANCHORS: 26


CASCADE MEDIUM

0

RISKY BUSINESS

CAPACITY: 118 ANCHORS: 45 WATER DEPTH: 9'3"(2,8M)

SIERRA COLLECTION



31

WATER DEPTH: 6'6"(2M)

MAVE NIDER

CLIMBING + **SLIDING**

MT. RAINIER

CAPACITY: 12

ANCHORS: 10

MT. HOOD

CAPACITY: 8

ANCHORS: 6

WATER DEPTH: 9'3"(2,81M)

WEIGHT: 948LBS (431KG)

WATER DEPTH: 8'(2,42M)

WEIGHT: 416LBS (189KG)

DIMENSION: 30'4"×10'8"×10'


WORKING PRESSURE: 0.5 PSI (0.03BAR)

925 × 325 × 305(CM)

DIMENSION: 40'x21'6"x21'6" ------ 1230×660×380(см)

WORKING PRESSURE: 0.5psi (0.03BAR)

FEATURES DESIGNED FOR THRILLS! **TEST YOUR STRENGTH ON THE** CLIMB UP AND ENJOY THE WIND **BLOWING THROUGH YOUR HAIR ON** THE WAY DOWN. THESE TOWERING FEATURES ARE GUARANTEED TO DRAW A CROWD.



The showpiece of every park has 6 unique activities for a variety of challenges - steps, ramps, rope climb, slide, cliff jumps and a climbing tree. Proudly named after the biggest mountain in our area - Mt. Rainier is a park in itself.



The middle ground in our tower series offers a unique integrated ladder for easy climbing, a 10' jumping cliff, an exciting high speed slide and a vertical wall climb.

HILL

32 UNION

CAPACITY: 5 ANCHORS: 1 WATER DEPTH: 5'6"(1,66M) DIMENSION: 10'×6'×5' 305×183×152(CM) WORKING PRESSURE: 1.3PSI (0.09BAR) WEIGHT: 99LBS (45KG)



Up and down, the Hill is the perfect end to any challenge run or pool track.

MT. BAKER

CAPACITY: 6 ANCHORS: 6 WATER DEPTH: 6'6"(2.42M) DIMENSION: 28'8"×10'6"×7' - 875×320×212(CM) WORKING PRESSURE: 0.5 PSI (0.03BAR) WEIGHT: 352LBS (160KG)



FIGURE 8

CAPACITY: 8 ANCHORS: 3 WATER DEPTH: 7'8"(2,42M) DIMENSION: 30'×13'6"×9'6" ------ 915×411×290(см) WORKING PRESSURE: 1.3 PSI (0.09BAR) WEIGHT: 466LBS (212KG)

MONKEY BUSINESS

CAPACITY: 4 ANCHORS: 2 WATER DEPTH: 7'6"(2,30M) **DIMENSION:** 19'×19'×9' **_____** 580×580×277(CM)

WORKING PRESSURE: 1.75PSI (0.12BAR) WEIGHT: 310LBS (141KG)



The smallest in our tower lineup has everything a park owner wants in a smaller form factor. The 7' cliff jump and slide are easily accessed by our integrated ladder system so guests can jump and slide all day.

The jaw dropping over-under Figure 8 design draws eyes from anywhere on site. Guests can't wait to climb up and slide down the upper platform then run back underneath to try again.



One of the most challenging pieces in the UNION lineup has three different difficulty levels. The main attraction is the monkey bars that will test even the mightiest of climbers.



FEATURES THAT WILL TEST STRENGTH, SPEED AND BALANCE. WHO CAN CROSS THESE FEATURES THE FASTEST?

ICON RUN

CAPACITY: 2 ANCHORS: 2 WATER DEPTH: 3'6"(1,12M) DIMENSION: 20'×6'×1'4" ----- 610×183×42(см)

WORKING PRESSURE: 2.0 PSI (0.14BAR) WEIGHT: 86(BS (39KB)

The Icon Run requires balance, speed and focus. The 5 pads are connected along the bottom but don't let that fool you, they are not easy to cross! Do you have what it takes?

MOON JUME

CAPACITY: 3

ANCHORS: 2 WATER DEPTH: 5'(1.5M) **DIMENSION: 19'×19'×4'3" 580×580×130**(CM)

WORKING PRESSURE: 1.75PSI (0.12BAR) WEIGHT: 257LBS (117KG)

Jump across the three large balls or try to balance and slide around the side. The Moon Jump is a fan favorite!

BYPASS

CAPACITY: 4 ANCHORS: 1 WATER DEPTH: 5'6"(1.66M) DIMENSION: 10'x 8'x 5' **_____** 305×243×152(cm)

WORKING PRESSURE: 1.75PSI (0.12BAR) WEIGHT: 147LBS (67KG)

Crawl under the tunnel, work around the side, climb on top or slide down the rails. The Bypass is full of adventure!

NINJA JUMP

CAPACITY: ANCHORS: 2 WATER DEPTH: 4'(1.2M) DIMENSION: 20'×8'×2' WORKING PRESSURE: 2.0 PSI (0.14BAR) WEIGHT: 119LBS (54KG)

The true test of agility has seven angled pods to jump across. Each pod is equipped with our non-slip surface for optimal performance.

THE NARROV

CAPACITY: 5

ANCHORS: 2 WATER DEPTH: 7'3"(2,2M) **DIMENSION: 20'×10'×8'6"** - 610×305×259(CM) WORKING PRESSURE: 1.3PSI (0.09BAR) WEIGHT: 348LBS (158KG)

An imposing feature with two sheer cliff walls and narrow ledges to delicately walk along. The easy route has a shallow grade and easy grab handles while the hard route has steep ledges, gaps and no handles

CAPACITY: 3 ANCHORS: 2 WATER DEPTH: 3'10"(1.15M) DIMENSION: 20'x 6'x 2'1" ---- 610×183×63(CM)

WORKING PRESSURE: 1.75 PSI (0.12BAR)

WEIGHT: 139LBS (63KG)

High step between the tires or try to run across the top. This feature gets harder the faster you move.

CAPACITY: 2 ANCHORS: 1 WATER DEPTH: 5'(1.50M) DIMENSION: 10'×6'×4'3" ------ 305×183×128(cm)

WORKING PRESSURE: PSI (0.07BAR) WEIGHT: 86LBS (39KG)

A steep pyramid shaped obstacle that guests can climb over or around the side. It is equipped with our climbing handles that double as footholds to help conquer the feature.

AIRTIM

CAPACITY: 6 ANCHORS: 4 WATER DEPTH: 8'(2,44M) **DIMENSION: 20'x17'x4'3**"

- 610×518×128(CM)

WORKING PRESSURE: 0.8 PSI (0.055BAR) WEIGHT: 295LBS (134KG)

A big, on water trampoline with a full metal frame and springs that allow guests to get big air.

34 UNION



WHIRLPOO

CAPACITY: 8 ANCHORS: 4 WATER DEPTH: 5'6"(2.42M) DIMENSION: 20'×17'×5' ------ 610×518×152(cm)

WORKING PRESSURE: 0.5 PSI (0.03BAR) WEIGHT: 315(88 (143KG))

A huge cone shaped obstacle 5 feet tall and 17 feet in diameter is perfect for running around, sliding down or jumping off.

THE HAL

CAPACITY: 4 ANCHORS: WATER DEPTH: 5'6"(1.66M) DIMENSION: 10'x8'x5'

------ 305×243×152(CM) WORKING PRESSURE: 1.75psi (0.12BAR) WEIGHT: 114LBS (52KG)

A halo shaped structure to climb over. crawl under or walk around.

CAPACITY: 5 ANCHORS: 2 WATER DEPTH: 5'6"(1.66M) DIMENSION: 19'×19'×5'6" ------ 580×580×173(CM)

WORKING PRESSURE: 1.75psi (0.12BAR) WEIGHT: 372LBS (169KG)

An extended version of the Bypass that bridges the gap between two separate tracks. Crawl around the corner, work around the sides, walk across the top or slide down the tubes.



BALANCE () LEISURE

BALANCE - CHANNEL YOUR INNER ZEN WITH THESE STABILITY FEATURES DESIGNED TO TEST YOUR CONCENTRATION AND BALANCE.

LEISURE - SOMETIMES YOU JUST NEED A CHANCE TO REST AND RELAX BEFORE GETTING BACK INTO THE ACTION!

HIGH RISE

CAPACITY: 4 ANCHORS: 2 WATER DEPTH: 5'6"(1,66M) DIMENSION: 20'×6'×5' 610×183×152(cm) WORKING PRESSURE: 1.7 5psi (0,12BAR)

WEIGHT: 167LBS (76KG)

Climb the steps and walk across the High Rise. Do you have the nerves to cross this 5 foot tall balance beam?

LOOKOUT TOWER

CAPACITY: 12 ANCHORS: 4 WATER DEPTH: 9'6"(2,9M) DIMENSION: 20'×17'×13'4" 610×518×407(cm) WORKING PRESSURE: 1.3psi (0,09BAR) WEIGHT: 354LBS (161KG)

The shaded centerpiece of any park has a comfortable, unobstructed view. The feature also includes a built-in full circle bench for guests to sit and rest.

CROW'S NEST

CAPACITY: 4 ANCHORS: 1 WATER DEPTH: 8'(1,52M) DIMENSION: 10'×8'×4'

305×243×122(cm)

WORKING PRESSURE: 1.75psi (0,12BAR) WEIGHT: 99LBS (45KG)

Perch up on top of the Crow's Nest for a premier view of the aquatic playground or run around the side.

CENTRAL PAR

CAPACITY: 12 ANCHORS: 8 WATER DEPTH: 3'6"(1,12M) DIMENSION: 30'×30'×1'4"

915×915×42(см)

WORKING PRESSURE: 1.3PSI (0,09BAR) WEIGHT: 660LBS (300KG)

A massive wheel shaped connection hub can link up to four other Union features and has a built-in swimming hole in the middle. The outer ring has four Loading Zones making it ideal for central locations in a large aqua park.

EAGLE'S NEST

CAPACITY: 5 ANCHORS: 1 WATER DEPTH: 5'6"(1,66M) DIMENSION: 10'×12'×5' ______ 305×367×152(cm)

WORKING PRESSURE: 1.3 PSI (0,03BAR) WEIGHT: 141LBS (64KG)

An 8' diameter and 5' tall platform gives guests an opportunity to relax and observe the rest of the park. The rails around the outside allow other guests to pass by without disturbing the Eagle's up top.

DRAGONTAIL 20

CAPACITY: 2 ANCHORS: 2 WATER DEPTH: 4'3"(1,28M) DIMENSION: 20'×6'×2'6" ______610×183×78(CM)

WORKING PRESSURE: 1.75psi (0,12bar) WEIGHT: 108lbs (49kg)

The Dragontail series is not your standard balance beam. With a progressive rising platform and steep sloping sides the Dragontail features are fun for all. The 20' feature tops out at 2'6" and the 30' version is a towering 4' tall.

DIAMOND

CAPACITY: 4 ANCHORS: 2 WATER DEPTH: 5'(1,50M) DIMENSION: 20'×16'6"×4' 610×505×120(cm)

WORKING PRESSURE: 1.75psi (0,12BAR) WEIGHT: 194LBS (88KG)

The Diamond has two distinct routes - a 4 foot tall, 18 inch wide highline that will provide a thrill for the challenge seeker or a lower level to test concentration and skill.

DRAGONTAIL 30

CAPACITY: 4 ANCHORS: 3 WATER DEPTH: 5'(1,5M) DIMENSION: 30'×6'×4'

915×183×122(CM) WORKING PRESSURE: 1.75psi (0,12BAR) WEIGHT: 172LBS (78KG)

The Dragontail series is not your standard balance beam. With a progressive rising platform and steep sloping sides the Dragontail features are fun for all. The 20' feature tops out at 2'6" and the 30' version is a towering 4' tall.



RUNNING + WALKING

THESE FEATURES GET HARDER THE FASTER YOU MOVE! TAKE IT NICE AND SLOW TO MAKE IT TO THE NEXT FEATURE OR GO HIGH SPEED FOR A CHALLENGE.

APEX 20

CAPACITY: 8

ANCHORS: 2 WATER DEPTH: 5'6"(1,66M) DIMENSION: 20'×10'2"×5'

610×310×152(CM) WORKING PRESSURE: 1.3psi (0,09BAR) WEIGHT: 216LBS (98KG)

This feature is more challenging than it looks. With the banked edge standing at 5' tall guests will enjoy the challenge as they crawl, jump or run across.

APEX 30

CAPACITY: 12 ANCHORS: 3 WATER DEPTH: 5'6"(1,66M) DIMENSION: 30'×14'2"×5'

915×430×152(CM)

WORKING PRESSURE: 1.3 PSI (0,09BAR) WEIGHT: 332LBS (151KG)

Big brother to the Apex 20 this S-shaped feature is a blast to run up, slide down and link into the second turn. Standing at 5' tall guests will enjoy the challenge as they crawl, jump, slide and run across.

RISKY BUSINESS 20

CAPACITY: 8 ANCHORS: 2 WATER DEPTH: 4'3"(1,28M) DIMENSION: 20'×6'×2'8" 610×183×82(cm) WORKING PRESSURE: 1.75psi (0,038AR) WEIGHT: 145lbs (66KG)

This feature has a home in parks of all sizes and skill levels. Jump the gap or slide down the valley, Risky Business 20 gets more challenging the faster you go.



CAPACITY: 10 ANCHORS: 3 WATER DEPTH: 4'3"(1,28M) DIMENSION: 30'×6'×2'8" 915×183×82(gm)

WORKING PRESSURE: 1.75psi (0,12Bar) WEIGHT: 227lbs (103kg)

Big brother to the 20, Risky Business 30 has three large hills and two valleys to run, jump and slide on. Guests will have smiles all around as they find the best way to traverse the difficult terrain. The Wave Rider series gives space to a park. Guests can run and slide along the long wave like surfaces or build up a head of steam for their next adventure.

WAVE RIDER 10

CAPACITY: 5 ANCHORS: 1 WATER DEPTH: 3'6"(1,12M) DIMENSION: 10'×6'8"×1'4" 305 × 203 × 42(cm) WORKING PRESSURE: 1.3psi (0,09BAR) WEIGHT: 86LBS (31KG)

WAVE RIDER 20

CAPACITY: 8 Anchors: 2 Water Depth: 3'6"(1,12M) Dimension: 20'x 8'x 1'4"

610×244×42(CM) WORKING PRESSURE: 1.3psi (0,09BAR) WEIGHT: 92LBS (42KG)

WAVE RIDER 30

CAPACITY: 10 ANCHORS: 3 WATER DEPTH: 3'6"(1,12M) DIMENSION: 30'×8'×1'4"

915×244×42(CM) WORKING PRESSURE: 1.3PSI (0,09BAR) WEIGHT: 158LBS (72KG)

WAVE RIDER 10 L

CAPACITY: 5 ANCHORS: 1 WATER DEPTH: 3'5"(1,12M) DIMENSION: 10'×8'6"×1'4" 305×255×42(cm)

WORKING PRESSURE: 1.3 PSI (0,09BAR) WEIGHT: 103LBS (47KG)

WAVE RIDER 20 LZ

CAPACITY: 8 ANCHORS: 2 WATER DEPTH: 3'5"(1,12M) DIMENSION: 20'x10'x1'4" 610x310x42(cm) WORKING PRESSURE: 1.3psi (0,09BAR) WEIGHT: 202LBS (92KG)

WAVE RIDER 30

CAPACITY: 10 ANCHORS: 3 WATER DEPTH: 3'5"(1,12M) DIMENSION: 30'×10'×1'4" 915×310×290(cm)

WORKING PRESSURE: 1.3 PSI (0,09BAR) WEIGHT: 297LBS (135KG)



ESSENTIALS THESE FEATURES ARE THE FRAMEWORK OF THE AQUAPARK GIVING OPTIONS FOR DIFFERENT PARK DESIGNS AND PLENTY OF

THESE FEATURES ARE THE PARK DESIGNS AND PLENTY OF BOARDING OPTIONS.

LAUNCH PAI

CAPACITY: 5 ANCHORS: 1 WATER DEPTH: 3'6"(1.12M) **DIMENSION: 10'×12'×1'4"** ------ 305 × 165 × 42(cm)

WORKING PRESSURE: 1.75PSI (0.12BAR) WEIGHT: 163LBS (74KG)

A high volume easy boarding platform allowing parks to quickly and efficiently load their park. The massive Loading Zone makes entering the park for up to 5 people at a time a breeze.

>>

ULLIGA

CAPACITY: 4 ANCHORS: 1 WATER DEPTH: 3'6"(112M) **DIMENSION:** 10'×10'×1'4"

WORKING PRESSURE: 1.3 PSI (0.09BAR)

WEIGHT: 95LBS (43KG)

A 90 degree turn with an incorporated Loading Zone that gives the aquapark structure and allows easy reentry for guests.

NNECI

CAPACITY: 4 ANCHORS: WATER DEPTH: 3'6"(1.12M) **DIMENSION: 10'×10'×1'4"** ------ 305×305×42(см)

WORKING PRESSURE: 1.75 PSI (0.12BAR) WEIGHT: 116LBS (52.2KG)

The essential feature for making the Union grid system function. Connect up to four other features to create a turn, a crossroads or an easy boarding station.

NEPTUNE'S STEP

CAPACITY: **ANCHORS:**

WATER DEPTH: 3'6"(1,12M) DIMENSION: 6'×6'×1'4'

WORKING PRESSURE: 1.75PSI (0.12BAR) WEIGHT: 51LBS (23KG)

A boarding specific feature that has two underwater steps and easy grab handles to make park reentry accessible for all.

DOG LEG

CAPACITY: 3

ANCHORS: 1 WATER DEPTH: 4'3"(1,28M) DIMENSION: 8'×8'"×2'6' - 243×243×76(cm) WORKING PRESSURE: 1.3.PSI (0,09BAR)

WEIGHT: 80LBS (36.5KG)

A 90 degree turn that gives the aquapark structure and allows guests to take a break on the built in bench.

ACCESSORIES

INDUSTRIAL PUMP

1000W dual motor pump stands up to the abuse of a commercial park environment. Single motor inflates up to 3.3 PSI and double motor inflates to 7.3 PSI. Comes standard with 1.5m hose







REPAIR KIT

Includes color matching PVC patches, glue, cleaning wipes, brushes and a pencil. Everything you need to keep a damaged feature up and running

A commercial grade mooring bungee rated up to 3500lbs. The bungee is designed to stretch with the current and features preventing damage to the anchoring D-rings and features. Each feature comes with bungees attached. Additional bungees are available for purchase.

MOORING BUNGEE

CGA & CE VESTS

a Neoprene inner surface gives ultimate comfort for guests and a durable 3d mesh exterior gives the durability parks need. Color coded by size makes checking guests in and out fast and easy. Available in both USCGA and CE approvals.

COLOR CODED: For easy organization and distribution

NEOPRENE CONSTRUCTION: For comfort and longer life.

USCGA & CE APPROVED

SIZES: Range from vouth to 2XL



HOSE EXTENSIONS

A 5m hose helps give a little more reach for the big installation and tear down days. A 25m hose is perfect for topping up the park without needing to bring features to shore or bring the pump out on the park.





CONNECTION COVER

The core piece of The Link system is the connection cover. These come standard with each feature but can be custom ordered in different colors and with custom graphics.



PERIMETER BUOYS

Create a barrier around the park with these 15' long buoys. Each buoy has a 316 Stainless Steel rotating shackle for connecting the buoys around the parks perimeter







CLIMBING/SLIDING

MT. BAKER

MT. HOOD

PRODUCT OVERVIEW



MONKEY BUSINESS







RUNNING/WALKING

APEX 20

APEX 30



WAVE RIDER 20

RISKY BUSINESS 20

WAVE RIDER 10

WAVE RIDER 10 LZ



WAVE RIDER 20 LZ



WAVE RIDER 30



WAVE RIDER 30 LZ





HIGH RISE



DIAMOND



DRAGONTAIL 20



DRAGONTAIL 30





EAGLE'S NEST



NINJA JUMP

THE NARROWS

CENTRAL PARK

AGILITY

OVERPASS



THE TEMPLE






WHIRLPOOL



BYPASS



CROW'S NEST



HALO



TIRE RUN



AIRTIME

MT. RAINIER





RISKY BUSINESS 30

LOOKOUT TOWER





AQUAPARK.COM



MULLIGAN



NEPTUNE'S STEPS




CONNECT 4



LAUNCH PAD



DOG LEG





VESTS





INDUSTRIAL PUMP



WETSUITS



PERIMETER BUOYS



CONNECTION COVER



MOORING BUNGEE



REPAIR KIT





AQUAPARK.COM

Union Europe distribution by POD International www.pod.international